



Cloud One BCS + Salesforce Integration Guide

**Cloud One Business
Communication Suite**



Contents

- About This Guide 1**
- Set up Salesforce CRM Integration 4**
 - Integrate Cloud One BCS with Salesforce CRM 4
 - Set up Contact Synchronization from Salesforce CRM 14
 - Set up Lead or Contact Creation for Salesforce CRM 16
 - Set up Call Popup 18
 - Set up Call Journal to Salesforce CRM 21
- Use Salesforce CRM Integration 23**
- Disable Salesforce CRM Integration 28**
- Disconnect Salesforce CRM Integration 29**

About This Guide

Cloud One BCS supports to integrate with Salesforce CRM, which allows your Salesforce CRM users to get all the call details right in their CRM entries while keeping the voice traffic in Cloud One BCS. This topic describes the requirements, key features, and terminologies related with the integration.

Requirements

Salesforce CRM

The integration with Salesforce CRM is supported on the following plans:

- Enterprise Edition
- Unlimited Edition
- Developer Edition
- Performance Edition

PBX server

Firmware: 84.21.0.66 or later

Key features

The integration of Cloud One BCS and Salesforce CRM provides the following key features:

Click to Call

Users can launch calls by a single click on the detected numbers from Salesforce CRM via Cloud One Simu Connect Web Client.



Note:

This feature requires users to install '[Cloud One Simu Connect for Google](#)' Chrome extension and set up Simu Connect Web Client to work with the Chrome extension.

Call Popup

Automatically bring up the contact's profile on the web browser when users (with their Simu Connect Web Client or Simu Connect Desktop Client logged in) receive / answer an inbound call from a CRM contact, or finish a call with a CRM contact.

In addition, users are able to manually open the contact's profile from the call window during a call with a CRM contact.

Call Journal

All the call activities get logged automatically to Salesforce CRM when a user ends calls with CRM contacts.

Call Recording Playback

Users can view and play call recordings stored on the PBX from the corresponding call log directly within the CRM system.

Contact Synchronization

Synchronize CRM contacts to an associated PBX phonebook when receiving inbound calls from / or initiating outbound calls to Salesforce CRM contacts.

Contact or Lead Creation

A new contact or lead can be automatically or manually created in CRM for unknown inbound or outbound calls.

Terminologies

The following table lists the terminologies of the Salesforce CRM integration.

Table 1.

Term	Description
System Administrator	The system administrator can access all the data and manage all the users in Salesforce CRM.
User	The corporate staff who can only access specific data based on assigned permissions (roles).
PBX Extension	The extension number for each staff. The staffs can register the extension on a phone or on Simu Connect clients, and use the extension to make and receive calls.
Lead	A new individual or business entity that has entered your database. A raw prospect that you haven't sold in the past, with which salespeople can follow up to search for new sales opportunities.
Contact	The Contact is an individual whose contact information is in your database and has been qualified. They could be a part of a business or organization you are attempting to sell to, they could also be a referral partner or even someone you know personally.
Account	The business entity or organization with which you have business dealings. You may have multiple contacts stored in the same account.

Related information

[Integrate Cloud One BCS with Salesforce CRM Set up Contact](#)

[Synchronization from Salesforce CRM](#)

[Set up Lead or Contact Creation for Salesforce CRM](#)

[Set up Call Popup](#)

[Use Salesforce CRM Integration](#)

[Disable Salesforce CRM Integration](#)

[Disconnect Salesforce CRM Integration](#)

Set up Salesforce CRM Integration

Integrate Cloud One BCS with Sales- force CRM

This topic describes how to integrate Cloud One BCS with Salesforce CRM.

Prerequisites


- Only a system administrator of a Salesforce CRM account can enable the Salesforce CRM integration.

Procedure

- [Step 1. Get PBX authentication information](#)
- [Step 2. Create and configure an application on Salesforce CRM](#)
- [Step 3. Make Authorization Request to Salesforce CRM](#)
- [Step 4. Associate Salesforce CRM users with PBX extensions](#)

Step 1. Get PBX authentication information


1. Log in to PBX web portal, go to **Integrations > CRM**.
2. Click **Salesforce**.




3. In the **Network** section, select the desired **Homepage URL** and note down the **Authorized Redirect URI** as you will use it later on Salesforce CRM.

* Homepage URL https://[redacted]	* Authorized Redirect URI https://[redacted]/integration/callback/api/crm/
--------------------------------------	---

Step 2. Create and configure an application on Salesforce CRM

1. Log in to [Salesforce CRM](#).
2. On the top-right corner of the Salesforce page, click , then click **Setup** to enter the **Setup Home** page.



3. On the left navigation bar, go to **PLATFORM TOOLS** > **Apps** > **App Manager**.
4. On the top-right corner of the **App Manager** page, click **New External Client App** to create a new application for integration.



- a. In the **Basic Information** section, enter the required information, then complete the rest as needed.

Basic Information

* External Client App Name: Cloud One BCS

* API Name: Cloud One BCS

* Contact Email: example@gmail.com

* Distribution State: Local

Contact Phone: Enter a phone number...

Info URL: Enter a URL...

Logo Image URL: Enter a URL...
[Choose one of our sample logos.](#)

Icon URL: Enter a URL...
[Choose one of our sample logos.](#)

Description: [Empty text area]

- **External Client App Name:** Enter a name to help you identify the application.



Note:

The **API Name** is synchronized with the application name automatically.

- **Contact Email:** Enter a contact email address.
 - **Distribution State:** Retain the default setting.
- b. In the **API (Enable OAuth Settings)** section, select the checkbox of **Enable OAuth**, and complete the API configuration.

API (Enable OAuth Settings)

Enable OAuth

App Settings

* Callback URL

https://msg-test.ptest3.yeastarcloud.com/integration/callback/api/crm/salesforce/

* OAuth Scopes

Available OAuth Scopes

- Access Connect REST API resources (chatter_api)
- Access Visualforce applications (visualforce)
- Access custom permissions (custom_permissions)
- Access Analytics REST API resources (wave_api)
- Access Analytics REST API Charts Geodata resources (clair_api)
- Manage Pardot services (pardot_api)

Selected OAuth Scopes

- Manage user data via APIs (api)
- Access the identity URL service (id, profile, email, address, phone)
- Manage user data via Web browsers (web)
- Full access (full)
- Access unique user identifiers (openid)
- Perform requests at any time (refresh_token, offline_access)

Security

Require secret for Web Server Flow

Require secret for Refresh Token Flow

Require Proof Key for Code Exchange (PKCE) extension for Supported Authorization Flows

Enable Refresh Token Rotation

Issue JSON Web Token (JWT)-based access tokens for named users

Setting	Description
App Settings section	
Callback URL	Paste the authorized redirect URI obtained from the PBX web portal .
OAuth Scopes	select the following permission options from Available OAuth Scopes box to Selected OAuth Scopes box. <ul style="list-style-type: none"> • Full access (full) • Manage user data via APIs (api) • Manage user data via Web browsers (web) • Access unique user identifiers (openid) • Access the identity URL service (id, profile, email, address, phone) • Perform requests at any time (refresh_token, offline_access)
Security section	
Require Proof Key for Code Exchange (PKCE) extension for Supported Authorization Flows	Unselect the checkbox of this setting.


c. At the bottom of the page, click **Save**.

The webpage indicates that the application has been successfully created.


5. Modify the application's access permissions.

By default, the permission of newly created applications are set to **All users can self-authorize**, granting access to all associated Salesforce users in the organization. If the current settings displayed in the application list differ from this, do as follows to modify the permission.

- a. Go to **Apps > External Client App > External Client App Manager**, click  beside the new application, then click **Edit Policies**.




- b. Scroll down to the **OAuth Policies**, select **All users may self-authorize** from the drop-down list of **Permitted Users**.



- c. Click **Save**.

6. Obtain the Authorization information of Salesforce CRM as you will use it later on PBX.

- a. Go to **Apps > External Client App > External Client App Manager**, click  beside the new application, then click **Edit Settings**.



- b. In the **OAuth Settings** section, obtain the API Authorization information.
- Click **Consumer Key and Secret**.

▼ OAuth Settings

App Settings

[Consumer Key and Secret](#)

* Callback URL

https://[redacted]/integration/callback/api/crm/salesforce/

A verification code is sent to your mailbox.

ii. Enter the verification code, then click **Verify**.

You're trying to **Access a Connected App**. To make sure your Salesforce account is secure, we have to verify your identity.

Enter the verification code we emailed to ja*****@*****ar.com.

Verification Code

406002

[Back](#) [Verify](#)

[Resend Code](#)

iii. In the **Consumer Details** section, note down the **Consumer Key** and **Consumer Secret**.

Connected App Name
Yeastar_PBX

[« Back to Manage Connected Apps](#)

Consumer Details

Consumer Key	3MVG9cHH[redacted]ipjf5D5EdlUuB
	Copy
Consumer Secret	B54CEE[redacted]DD66F
	Copy

Staged Consumer Details


Generate staged values for the consumer key and secret. When you apply the staged values, they replace the original consumer details.

Staged Consumer Key	Not generated
Staged Consumer Secret	Not generated

[Generate](#) [Apply](#) [Cancel](#)

Step 3. Make Authorization Request to Salesforce CRM


1. Log in to PBX web portal, go to **Integrations > CRM**.
2. Click **Salesforce**.
3. In the **Authorization** section, enter the API authorization information.



The screenshot shows a form titled "Authorization" with two input fields. The first field is labeled "* Consumer Key" and the second is labeled "* Consumer Secret". Both fields are currently empty and have a small icon on the right side of the input box.


- **Consumer Key:** Paste the Salesforce API [Consumer Key](#).
 - **Consumer Secret:** Paste the Salesforce API [Consumer Secret](#).
4. Click **Save**.

A new browser page will be launched to request for Salesforce CRM data access permission.



5. Click **Allow** to allow the PBX to access data in your CRM account.


You are redirected to the PBX configuration page, a pop-up window displays the authentication result.








6. Click **OK** to confirm.

The **Status** field displays **Connected**, indicating that the Salesforce CRM integration is successfully set up.

Step 4. Associate Salesforce CRM users with PBX extensions


1. On the CRM integration page, click  beside the **Salesforce User** to synchronize the latest list of Salesforce CRM users.

Salesforce User 	Extension / Extension Group
Philli Huff - philli@example.com	Please select at least one extension. 
David Harris - david@example.com	Please select at least one extension. 
Kristin Hale - Kristin@example.com	Please select at least one extension. 
Leo Ball - leo@example.com	Please select at least one extension. 

2. Associate the Salesforce users with PBX extensions.

Associate automatically


If users bind the same email address to their Salesforce accounts and PBX extensions, you can implement automatic association of their Salesforce accounts and PBX extensions as follows:




- a. Click the **Associate Automatically** button.
- b. On the pop-up window, click **OK**.

Associate manually

If the user binds different email addresses to their Salesforce account and PBX extension, you need to manually associate the user's Salesforce user account and PBX extension.



- a. In the **Extension / Extension Group** field beside the Salesforce user, click .
- b. In the pop-up window, select the desired user's extension(s).
- c. Click **Confirm**.

3. Click **Save**.

Result

- The integration of Cloud One BCS and Salesforce CRM is set up.
- Salesforce users can make or receive calls with their PBX extensions.

What to do next

- [Set up Contact Synchronization from Salesforce CRM](#)
- [Set up Lead or Contact Creation for Salesforce CRM](#)
- [Set up Call Popup](#)
- [Use Salesforce CRM Integration](#)

Set up Contact Synchronization from Salesforce CRM


After integrate with Salesforce CRM, you can enable a one-way contact synchronization on PBX to sync the Salesforce CRM Contacts to a specific PBX phonebook.

Prerequisites

The [Salesforce CRM integration](#) is completed.

Procedure

1. Log in to PBX web portal, go to **Integrations > CRM**.
2. On the CRM integration page, turn on **Synchronize Contacts Automatically**.
3. In the **Synchronize Contacts From** drop-down list, select the type(s) of contacts to be synchronized from Salesforce CRM.



- In the **Synchronize to Phonebook** drop-down list, select an existing empty phonebook or create a new phonebook to store the contacts that will be synchronized from Salesforce CRM.

**Note:**

The contacts can only be synchronized to an empty phonebook.

* Synchronize to Phonebook

[Create New] ▼

* Name

Salesforce_CRM_Synchronization

- On the **Always Query CRM** option, decide whether to search contacts in the CRM real-time.

Always Query CRM

When enabled, PBX will query CRM in real time for contact information and support real-time dial search for CRM contacts in the Linkus client.

When disabled, CRM will only be queried if no matching information is found in the PBX company contacts, and the real-time dial search for CRM contacts in the Linkus client will also be disabled.

Note: Enabling "Always Query" will increase API credit consumption. Please monitor your quota. For details about CRM platform API quotas, refer to the [official documentation](#).

- If enabled, PBX will query CRM in real time for contact information, and support real-time dial search for CRM contacts in the Simu Connect clients of the associated extension users.
- If disabled, PBX will only query CRM when there is no matching information found in the PBX company contacts.


**Note:**



- Enabling this feature will increase API usage, so make sure to monitor your quota accordingly.
- The real-time search is not supported when [masked number](#) is enabled.

- Click **Save**.

Result

On **Contacts > Phonebooks**, the associated phonebook comes with a label of CRM.



Phonebook Name	Total Contacts	Operations
Salesforce_CRM_phonebook CRM	0	 

When users receive an inbound call from a specified type of Salesforce CRM contact, or place an outbound call to the contact, PBX will search for the contact's information, and automatically synchronize the matched contact's information from the CRM to the associated phonebook in Cloud One BCS.



Note:

This is a one-way sync to Cloud One BCS, therefore the associated phonebook and the synced contacts are read-only.



Troubleshooting:

[Why does the PBX create a new contact on an inbound call when the contact already exists in Salesforce CRM?](#)

Set up Lead or Contact Creation for Salesforce CRM

After the integration with Salesforce CRM, you can set up automatic or manual lead or contact creation. If enabled, a new contact or lead can be created on the CRM when the user receives a call from an unknown number or places a call to an unknown number. This feature helps you to build your contact database efficiently and ensure all contact information is captured.

Prerequisites

The [Salesforce CRM integration](#) is completed.

Procedure

1. Log in to PBX web portal, go to **Integrations > CRM**.
2. On the CRM integration page, turn on **Create New Contact**.
3. In **Create Contact or Lead** drop-down list, select the type(s) of contacts to be created.

* Create Contact or Lead

Contacts

Contacts

Leads

- **Contacts:** Save the unknown number as a Contact.
 - **Leads:** Save the unknown number as a Lead.
4. In the **Create Method** section, select the desired creation method according to your needs.
- If you want the system to automatically create contacts in the CRM based on specified types of calls, do as follows:
 - a. Select **Automatically**.
 - b. In the **Call Type** drop-down list, select when will a contact be automatically created in the CRM.

* Call Type

Inbound × Outbound ×

Inbound ✓

Outbound ✓


- **Inbound:** Inbound call from an unknown number that doesn't match a Contact, Lead, or Account already in the CRM.
 - **Outbound:** Outbound call to an unknown number that doesn't match a Contact, Lead, or Account already in the CRM.
- If you want to allow associated extension users to manually create contacts in the CRM during a call, select **Manually**.
5. Click **Save**.


Result

- If automatic creation is configured, when a call is placed to an unknown number, or a call is received from an unknown number, a new contact or lead will be created on Salesforce CRM.




Note:

 The name of an auto-created contact or lead has a prefix of **Automatic New Contact** by the number.



The screenshot shows the Salesforce CRM interface. At the top, there is a search bar and a navigation menu with 'Sales Console' and 'Contacts'. A contact record is displayed with the name 'Automatic New Contact -5503301' highlighted in a yellow box. Below the name are buttons for '+ Follow' and 'New Case'. To the right, there is an 'Activity' section with tabs for 'Chatter', 'Details', and 'News', and a 'New Task' button with options for 'Log a Call', 'New Event', and 'Email'.

- If manual creation is configured, the associated extension users can manually add an unknown number as a new contact or lead on the CRM.



The screenshot shows a call interface with a 'Call Notes' window. A yellow circle with the number '5' is visible, and a green '+ Add Contact' button is highlighted. A modal window titled 'Add Contact to CRM' is open, showing fields for 'First Name' (William) and 'Last Name' (Smith). The modal also has 'Cancel' and 'Save' buttons. The call interface includes a timer showing '00:00:17' and various call control buttons at the bottom.



Note:

If the [Contact Synchronization](#) feature is enabled, the new created contact or lead will also be synchronized automatically into the phonebook in Yeastar P-Series Cloud Edition.

Set up Call Popup


After the integration with Salesforce CRM, a web browser tab displaying CRM contact's information will be automatically launched when a CRM user receives an inbound call from a


CRM contact by default. You can configure the call popup to be automatically triggered by a specified call event, or be manually opened during a call.

Prerequisites

The [Salesforce CRM integration](#) is completed.

Procedure


1. Log in to PBX web portal, go to **Extension and Trunk > Extension**.
2. Click  to edit the extension associated with a CRM user.
3. In the **Simu Connect Clients** tab, scroll down to your desired Simu Connect client, then select the checkbox of **Open Contact URL Using System-Integrated CRM**.
4. In the **Popup Method** section, decide the method of call popup.
 - If you want the system to automatically open the CRM contact details page, do as follows:



- a. Select **Automatically (Only for Incoming Calls)**.
 - b. In the **Trigger Event** drop-down list, set when the call popup will be automatically triggered.
 - **Ringing**: A call popup will be triggered when a Salesforce user receives an inbound call from a CRM contact.
 - **Answered**: A call popup will be triggered when a Salesforce user answers an inbound call from a CRM contact.
 - **Call End**: A call popup will be triggered when a Salesforce user finishes a call with a CRM contact.
- If you want the associated extension user to manually open the contact's URL during a call with a CRM contact, select **Manually**.
5. Click **Save**.

Result

- If automatic call popup is configured, when the specified trigger event occurs on an inbound call from a CRM contact, a new browser tab will be launched to show the contact's information from the CRM.




- If manual call popup is configured, the associated extension users can click the CRM label on the call window to manually open the contact's details page during a call with the CRM contact.



**Note:**

The pop-up web page might be blocked by the browser. In this case, users need to click on the blocked icon at the search bar, allow the pop-up window and website redirection, then click **Done**.



Set up Call Journal to Salesforce CRM

After the integration, you can set up call journal to automatically log all the call activities to Salesforce CRM when an associated user ends calls with CRM contacts.

Prerequisites

The [Salesforce CRM integration](#) is completed.

Procedure

1. Log in to PBX web portal, go to **Integrations > CRM**.
2. On the CRM integration page, turn on **Call Journal**.
3. Configure the following call log information according to your needs.

<p>* Subject</p> <input type="text" value="Extension Call"/>
<p>Description</p> <input type="text" value="Call: {{.Time}} {{.Call_Log_Status}} from {{.Call_From}} to {{.Call_To}} {{.Talk_Duration}}"/> <p><small>ⓘ The supported variables include {{.Time}}, {{.Call_Log_Status}}, {{.Call_From}}, {{.Call_To}}, and {{.Talk_Duration}}, among others. For a complete list, please refer to the user manual.</small></p>

- **Subject:** The subject of the call log.
- **Description:** The description of the call log.



Note:

The contents can be composed of variables. For the supported variables, see [XML Descriptions for Integration Template - Call Journal Scenario Variables](#).

4. **Optional:** Select the checkbox of **Disable Display Missed Call Records in Unanswered Agents** as needed.

If enabled, for queue and ring group calls, the PBX will only synchronize the call logs to the CRM of the agent who answers the call, while missed call logs for the same call are not synchronized to the CRM of agents who did not answer.

5. Click **Save**.

Result

When the associated users ends a call with a CRM contact, the PBX will automatically synchronize the call log to CRM with the pre-defined subject and description.

Use Salesforce CRM Integration

The integration with Salesforce CRM supports various features for your business dealings, bringing great convenience and efficiency. This topic shows the usage of the key features.


Click to Call

Prerequisites

Install '[Cloud One Simu Connect for Google](#)' Chrome extension and set up Simu Connect Web Client with the Chrome extension.

Procedure

Users can click on the detected phone numbers on the Salesforce CRM web page, a call is then sent out directly via the associated PBX extension.



Call Popup

Prerequisites

Keep at least one of the following clients logged in:

- Simu Connect Desktop Client
- Simu Connect Web Client

**Note:**


If users close web browser or Linkus Web Client tab, they can NOT receive calls. To avoid this, users can install Chrome extension '[Yeastar Linkus for Google](#)', which allows for the call pop-up browser tab even when web browser is closed.

Procedure

When Salesforce CRM users receive / answer an inbound call from a CRM contact, or finish a call with a CRM contact, a new browser tab will automatically be launched to show the CRM contact's information. Additionally, users can manually open the contact's information from the call window during the call.


**Note:**

For more information about the settings, see [Set up Call Popup](#).

**Note:**



The pop-up web page might be blocked by the browser. In this case, users need to click on the blocked icon at the search bar, allow the pop-up window and website redirection, then click **Done**.



Call Journal

After the Salesforce CRM integration, all outbound calls, incoming calls, and missed call records will be logged to CRM automatically, which helps users to keep track of every conversation.

Users can log in to the Salesforce CRM, go to the **Activity** tab in a contact detail page to view the call logs.


The screenshot displays the Salesforce CRM interface for a contact named 'Prof. Leo Ball'. The 'Activity' tab is selected and highlighted with a yellow box. Below the 'Activity' tab, the 'Upcoming & Overdue' section is expanded to show a list of call logs for December 2021. A yellow dashed arrow points from the 'Activity' tab to the call log list. The call logs include details such as date, time, and type (Outgoing Call, Missed Call).

December - 2021		This Month
>	Call: 18/12/2021 09:10:07 Outgoing Call from John Smith<1050... You had a task	No due date
>	Call: 17/12/2021 14:57:59 Missed Call from <5503308> to John ... You had a task	No due date
>	Call: 17/12/2021 14:56:06 Missed Call from <5503308> to John ... You had a task	No due date

Contact Synchronization

Either inbound calls from Salesforce contacts or outbound calls to the contacts will trigger a CRM contact lookup. If there exists the same number in CRM, the matched Salesforce CRM contact will be synchronized to an associated PBX phonebook, and the synchronized contacts are read-only.

For more information about the synchronization settings, see [Set up Contact Synchronization from Salesforce CRM](#).



Contact or Lead Creation

A new contact or lead can be created automatically or manually in CRM when the Salesforce user receives a call from an unknown number, or when the user makes a call to an unknown number.

For more information about the auto-creation settings, see [Set up Lead or Contact Creation for Salesforce CRM](#).

The image shows a Salesforce Sales Console interface. At the top left is the Salesforce logo. Below it, the navigation bar shows 'Sales Console' and 'Contacts'. The main content area displays a contact record for 'Automatic New Contact -5503301', which is highlighted with an orange border. The record includes a '+ Follow' button, a 'New Case' button with a dropdown arrow, and fields for 'Title', 'Account Name', 'Phone (2)' (with a dropdown arrow and the value '5503301'), 'Email', and 'Contact Owner' (with a profile picture and the name 'jason new').

Automatic New Contact -5503301


+ Follow New Case ▼

Title

Account Name

Phone (2) ▼
[5503301](#)

Email


Contact Owner
 [jason new](#)

Disable Salesforce CRM Integration

You can disable the Salesforce CRM integration on Cloud One BCS at any time when you want to pause the CRM integration.

Procedure

1. Log in to PBX web portal, go to **Integrations > CRM**.
2. Turn off the **Enable Salesforce Integration** switch on the top.



3. Click **Save**.

Result


- The **Status** field displays **Disabled**.
- The CRM integration configurations are retained and can be used directly the next time the integration is enabled again.

Disconnect Salesforce CRM Integration

If you want to integrate with another CRM account, you need to disconnect the current CRM integration first.

Procedure

1. Log in to PBX web portal, go to **Integrations > CRM**.
2. At the top-right corner, click **Cancel Integration**.



3. Click **OK** in the pop-up window.

Result

- The Salesforce CRM integration is disconnected.
- All the CRM integration settings are cleared.
- The synchronized phonebook and contacts are retained on the PBX and can be edited now.