

Yealink T4U Series of IP Phones Specification

Model	SIP-T48U	SIP-T46U	SIP-T44U	SIP - T43U	SIP - T42U
					
LCD	7" color touch screen	4.3" color LCD	2.8" color LCD	3.7" graphical LCD	2.7" graphical LCD
Resolution	800 x 480	480 x 272	320 x 240	360 x 160	192 x 64
LCD Backlight	✓	✓	✓	✓	✓
Line	16	16	12	12	12
Line Key	0	10	8	8	6
Memory Key	29 touch keys	27 (3 pages of 9 keys)	21 (3 pages of 7 keys)	21 (3 pages of 7 keys)	15 (3 pages of 5 keys)
HD Voice	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset	HD Speaker,HD Handset
Wide-band Codecs	G.722	G.722	G.722	G.722	G.722
Narrow-band Codecs	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC	G.711(A/μ), G.729A/B, G.726,G.723.1, iLBC			
N-way Conferencing	10	10	5	5	5
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet
PoE	✓	✓	✓	✓	✓
Handset Port (RJ-9)	✓	✓	✓	✓	✓
Headset Port (RJ-9)	✓	✓	✓	✓	✓
USB Port (2.0 compliant)	2	2	2	2	2
USB Headset	✓	✓	✓	✓	✓
USB Recording	✓	✓	✓	✓	✓
Yealink Bluetooth Adapter BT40/BT41	✓	✓	✓	✓	✓
Yealink Wi-Fi Adapter WF40/WF50	✓	✓	✓	✓	✓
Wireless Headset Adapter	EHS40	EHS40	EHS40	EHS40	EHS40
Expansion Module	EXP43	EXP43	EXP43	EXP43	X
Foot Stand	2 adjustable angles	2 adjustable angles	2 adjustable angles	2 adjustable angles	2 adjustable angles
Wall Mounting	✓	✓	✓	✓	✓
External Yealink AC Adapter (optional)	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/2A output	AC 100~240V input and DC 5V/1.2A output	AC 100~240V input and DC 5V/1.2A output	AC 100~240V input and DC 5V/1.2A output

Issued by Yealink (Xiamen) Network Technology CO., Ltd. All rights reserved. Subject to changes in technology, design and availability.



Yealink T4U Series of IP Phones

Experience Modern Voice Communications



The T4U series, packed with features, significantly enhances both call experiences and work efficiency by incorporating dual USB ports, Ultra HD sound quality, faster response speeds, and a host of advanced functionalities. This series is poised to be a robust ally for contemporary business needs.

Distraction-Free HD Communications

T4U Series provides distraction-free communications with Yealink's industry-leading Acoustic Shield Technology. Moreover, by leveraging Yealink's Optima HD audio technology, Yealink's new T4U Series guarantees HD sound quality and a distortion-free communication experience.




Dual USB Ports, Strong Scalability

T4U Series equipped with dual USB ports, meaning the entire series allows users to connect two Bluetooth dongles, Wi-Fi dongles, EHS40 headset adapters, USB headsets or USB disks at the same time. With dual USB ports, the T44U flexibly adapts to various scenarios and demands.



Color Expansion Module EXP43

Furnished with the Yealink EXP43 expansion module, the latest T44U, T46U, and T48U provide users with a vibrant full-color experience. Additionally, when the EXP43 is connected to the T43U grayscale phone model, the interface seamlessly transitions to grayscale mode, ensuring a more cohesive visual experience.



The New-Gen T44U

The new T44U offers a modern and elegant appearance with a 2.8 inch color screen. It also supports the EXP43, making it a great choice for business.

